



**Client:** Parksville Animal Hospital  
**Email:** panimalh@gmail.com  
**Phone/Fax:** 2502488318 / 2502484319  
**Owner:** Bridget Flynn  
**Practitioner:** Dr. Lazlo Simon

**Patient:** LK Regun Figo  
**Species/Breed:** Dog / Lagotto Romagnolo  
**Age/Gender:** 12 Month(s) / male  
**Submitted Date:** 05/05/2020 05:54:09 PM  
**Completed Date:** 05/06/2020 03:50:01 PM

**Case Status/Priority:** Completed / Regular

### Case History:

Here are the radiographs for preliminary OFA hips

### Case Report:

488074 KW/bs

A digitalized radiographic image containing a ventrodorsal projection of the pelvis was submitted for evaluation. The radiograph is dated 5/1/20.

#### Radiographic Findings:

Both femoral heads are located in their respective acetabula and are congruous with the acetabular rims. Approximately 50% of the femoral heads are located medial to the dorsal acetabular rims. Incongruity between the femoral heads and acetabula is not present. No osteophyte formation is present on the femoral necks or acetabula. Alignment of the patellae with the femurs is normal. Muscle volume in both hind legs is within normal limits.

Diagnosis: Normal pelvis.

Comments: Radiographic changes to suggest hip dysplasia are not present. Based on the OFA scheme of evaluating hips, the hips would be rated as good in conformation. Radiographs obtained at 2 years of age will need to be evaluated to completely exclude hip dysplasia and to establish a final rating on the coxofemoral joints.

### Consulting Radiologist:

Kent Wallace, DVM, Ms, DACVR  
kwallace@twcny.rr.com